

**BROWN RAYSMAN**

BROWN RAYSMAN MILLSTEIN FELDER &amp; STEINER LLP

**FACSIMILE COVER SHEET**

**From:** Seth H. Ostrow **Date:** June 2, 2003  
**Direct Dial:** 212-895-2040 **Client/Matter #:** 4982/4

**PLEASE DELIVER AS SOON AS POSSIBLE TO:**

	<b>Recipient</b>	<b>Company</b>	<b>Fax No.</b>	<b>Phone No.</b>
1.	Ms. Ella Colbert	U.S. Patent and Trademark Office Crystal Park 5, 7 <sup>th</sup> Floor	703-746-5622	703-308-7064

*Please  
enter.  
EC  
6-3-03*

Total number of pages including this page: .  
If you do not receive all the pages, please call **(212) 895-2000**.

**Message:**

Re: U.S. Patent Application Serial No. 09/354,063

**Please Note:** the information contained in this facsimile message is privileged and confidential, and is intended only for use of the individual named above and others who have been specifically authorized to receive it. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, or if any problems occur with transmission, please notify sender or the mail room by telephone: **(212) 895-2000**. **Thank Y u.**

**BROWN RAYSMAN MILLSTEIN FELDER & STEINER LLP**

900 THIRD AVE NY NY 10022 T 212-895-2000 F 212 895-2900 brownraysman.com

BRMFS1 408137v1

Received from &lt;2128952900&gt; at 6/2/03 5:32:12 PM [Eastern Daylight Time]

Attorney Docket No. 4982/4  
PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : John Crescenti et al.  
Application No. : 09/354,063 Examiner : Ella Colbert  
Filed : July 15, 1999 Art Unit : 3624  
Title: : MODULAR BACKUP AND RETRIEVAL SYSTEM

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION

Madam:

This is in response to the Office Action dated November 14, 2002 and follows a Request for Continued Examination on March 14, 2003 and an interview with the Examiner conducted May 20, 2003 at the United States Patent and Trademark Office.

IN THE DRAWINGS

In response to the examiner's objections to the drawings as failing to comply with 37CFR 1.84(p)(5), applicants enclose herewith a red-lined version of the original drawings, as well as corrected drawings indicating the changes requested, and applicants request that the examiner approve the corrected drawings.

IN THE SPECIFICATION

Please delete the text of the Abstract at page 37, lines 9-11 which reads "The management component is not hard wired in its functionality, but may adapt to changing circumstances in these policies"

Please delete the text of the Abstract at page 37, lines 13-17 which reads "A media component supervises the actual media to which the backups are made and the retrievals

#17/a  
PW  
6/10/03  
NE